



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/811,699	03/29/2004	Gregory E. Bottomley	4015-5177	1345
24112 COATS & BEI	7590 11/01/2007 NNETT, PLLC	EXAMINER		
1400 Crescent	Green, Suite 300	LE, NHAN T		
Cary, NC 27518			ART UNIT	PAPER NUMBER
			2618	
			MAIL DATE	DELIVERY MODE
			11/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
•	10/811,699	BOTTOMLEY ET AL.			
Office Action Summary	Examiner	Art Unit			
	Nhan T. Le	2618			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period v  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNION (36(a). In no event, however, may a civil apply and will expire SIX (6) MON, cause the application to become Af	CATION. reply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
<ol> <li>Responsive to communication(s) filed on <u>06 M</u></li> <li>This action is FINAL. 2b) ☐ This</li> <li>Since this application is in condition for allowar closed in accordance with the practice under E</li> </ol>	action is non-final.  nce except for formal mat	•			
Disposition of Claims					
<ul> <li>4)  Claim(s) 1-60 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-4,7,12-16,18-24,26,31,32,35-44,46-52 and 54-60 is/are rejected.</li> <li>7)  Claim(s) 5,6,8-11,17,25,27-30,33,34,45 and 53 is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>					
Application Papers	•				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to drawing(s) be held in abeyarion is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	Paper No(	Summary (PTO-413) s)/Mail Date nformal Patent Application			

Art Unit: 2618

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. <u>Claims 1-4, 7, 12-16, 18-24, 26, 31, 32, 35-44, 46-52, 54-60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fitton et al (US 20040028013) in view of Smee et al (US 6,990,137).</u>

As to claims 1, 21, 57, Fitton teaches a method of estimating an impairment correlation in a spread spectrum wireless receiver comprising: estimating a first correlation (see fig. 5, numbers 514 1-N, paragraphs 0090-0094) based on despread symbols received over multiple paths of a multi-path channel; estimating a second correlation (see fig. 5, numbers 514 1-N, paragraphs 0090-0094) based on the despread symbols; and deriving a final correlation (see fig. 5, number 528, paragraphs 00900-0094) based on the first and second correlation. Fitton fails to teach wherein the correlation is the impairment correlation matrix. Smee teaches wherein the correlation matrix is the impairment correlation matrix (see fig. 13, number 308, col. 22, lines 23-65. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Smee into the system of Fitton in order to trade off noise suppression through averaging and ability to track channel variation.

Art Unit: 2618

As to claims 2, 22, 42, 50, 58, the combination of Fitton and Smee teaches wherein deriving the final impairment correlation matrix based on the first and second impairment correlation matrices comprises selecting one of the first and second impairment correlation matrices as the final impairment correlation matrix (see Fitton fig. 5, number 528, paragraphs 0090-0094).

As to claims 3, 38, 39, 43, Fitton teaches wherein selecting one of the first and second impairment correlation matrices as the final impairment correlation matrix comprises selecting the first impairment correlation matrix as the final impairment correlation matrix when a color of the first impairment correlation matrix meets or exceeds a predetermined color criteria (see Fitton paragraphs 0080-0088).

As to claims 4, 23, 51, 59, the combination of Fitton and Smee teaches wherein selecting one of the first and second impairment correlation matrices comprises combining the first and second impairment correlation matrices (see Fitton fig. 5, number 528, paragraphs 0090-0094).

As to claims 7, 26, 44, 52, the combination of Fitton and Smee teaches wherein estimating the second impairment correlation matrix based on the despread symbols comprises estimating the second impairment correlation matrix based on the first impairment correlation matrix (see Fitton fig. 5, number 528, paragraphs 0090-0094).

As to claims 12, 31, the combination of Fitton and Smee teaches comprising generating a despread error vector based on the despread values, wherein estimating the first and second impairment correlation matrices based on the despread symbols comprises estimating the first and second impairment correlation matrices based on the

Art Unit: 2618

despread error vector (see Smee fig. 9, number 244, col.20, lines 35-65, col. 21, lines 55-67, col. 22, lines 1-22).

As to claims 13, 46, 54, the combination of Fitton and Smee teaches wherein estimating the first impairment correlation matrix based on the despread symbols comprises determining channel estimates based on the despread symbols (see Fitton paragraphs 0080-0088) and estimating a parametric impairment correlation matrix based on the channel estimates (see Fitton fig. 5, number 528, paragraphs 0090-0094).

As to claims 14, 47, 55, the combination of Fitton and Smee teaches wherein estimating the second impairment correlation matrix based on the despread symbols comprises estimating a non-parametric impairment correlation matrix based on the despread symbols (see Fitton fig. 5, number 528, paragraphs 0090-0094).

As to claim 15, the combination of Fitton and Smee teaches further comprising generating weighting factors based on the final impairment correlation matrix and combining traffic despread symbols using the weighting factors to suppress interference (see Fitton fig. 5, number 528, paragraphs 0090-0094).

As to claim 16, the combination of Fitton and Smee teaches further comprising estimating a signal-to-interference ratio based on the final impairment correlation matrix (see Fitton fig. 5, number 528, paragraphs 0090-0094).

As to claim 18, the combination of Fitton and Smee teaches wherein the spread spectrum wireless receiver comprises a RAKE receiver (see Fitton fig. 5, paragraphs 0090-0094).

Art Unit: 2618

As to claims 19, 40, 48, 56, 60, the combination of Fitton and Smee teaches wherein the wireless spread spectrum receiver is disposed in at least one of a mobile station and a base station (see Fitton fig. 5, number 528, paragraphs 0090-0094).

As to claim 20, the combination of Fitton and Smee teaches wherein estimating the first and second impairment correlation matrices comprises determining channel estimates based on the despread symbols (see Fitton paragraphs 0080-0080) and estimating at least one of the first impairment correlation matrix and the second impairment correlation matrix based on the channel estimates (see Fitton paragraphs 0090-0094).

As to claim 32, the combination of Fitton and Smee teaches wherein the first correlation estimator is a parametric estimator and wherein the first impairment correlation matrix is a parametric impairment correlation matrix (see Fitton fig. 5, number 528, paragraphs 00900-0094).

As to claims 41, 49, Filton teaches a method of suppressing interference in a wireless spread spectrum receiver comprising: despreading symbols received over multiple paths of a multi-path channel; estimating first and second impairment correlation based on the despread symbols (see fig. 5, numbers 514 1-N, paragraphs 0090-0094); deriving a final impairment correlation based on the first and second impairment correlation (see fig. 5, numbers 528, paragraphs 0090-0094); and combining the despread symbols using weighting factors determined from the final impairment correlation to suppress the interference (see fig. 5, number 528, paragraphs 0090-0094). Fitton fails to teach wherein the correlation is the impairment correlation

Art Unit: 2618

matrix. Smee teaches wherein the correlation matrix is the impairment correlation matrix (see fig. 13, number 308, col. 22, lines 23-65. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Smee into the system of Fitton in order to trade off noise suppression through averaging and ability to track channel variation.

### Allowable Subject Matter

2. Claims 5, 6, 8-11, 17, 25, 27-30, 33-34, 45, 53 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

As to claim 5, the applied reference fails to teach wherein combining the first and second impairment correlation matrices comprises: subtracting a filtered version of the first impairment correlation matrix from the second impairment correlation matrix to generate a residual correlation matrix; and adding the residual correlation matrix to the first impairment correlation matrix to derive the final impairment correlation matrix as cited in the claim.

As to claims 6, 25, the applied reference fails to teach wherein deriving the final impairment correlation matrix from the first and second impairment correlation matrices comprises: subtracting a filtered version of the first impairment correlation matrix from the second impairment correlation matrix to generate a residual correlation matrix; filtering the residual correlation matrix; augmenting the first impairment correlation based on the filtered residual correlation matrix to generate an augmented correlation

Art Unit: 2618

matrix; and deriving the final impairment correlation matrix based on the augmented correlation matrix as cited in the claim.

As to claims 8, 27, the applied reference fails to teach wherein deriving the final impairment correlation matrix based on the first and second impairment correlation matrices comprises: computing a whitening matrix based on the first impairment correlation matrix; applying an inverse of the whitening matrix to the second impairment correlation matrix to generate a final residual correlation matrix; and combining the first impairment correlation matrix with the final residual correlation matrix to derive the final impairment correlation matrix as cited in the claim.

As to claims 9, 29, 53, the applied reference fails to teach wherein deriving the final impairment correlation matrix based on the first and second impairment correlation matrices comprises: computing a whitening matrix inverse based on the first impairment correlation matrix; applying the whitening matrix inverse to the second impairment correlation matrix to generate a final residual correlation matrix; augmenting the first impairment correlation matrix based on the final residual correlation matrix to generate an augmented correlation matrix; and deriving the final impairment correlation matrix based on the augmented correlation matrix as cited in the claim.

As to claim 10, the applied reference fails to teach wherein estimating the second impairment correlation matrix based on the first impairment correlation matrix comprises: generating a whitening matrix based on the first impairment correlation matrix; computing a whitened error vector based on the whitening matrix; and

estimating the second impairment correlation matrix based on the whitened error vector as cited in the claim.

As to claim 17, the applied reference fails to teach wherein estimating the first and second impairment correlation matrices comprises estimating the first and second correlation matrices for multiple time slots of a received signal, and wherein deriving the final impairment correlation matrix based on the first and second impairment correlation matrices comprises selecting the first impairment correlation matrix as the final impairment correlation matrix for the time slots when a color of the first impairment correlation matrix meets or exceeds a predetermined color criteria as cited in the claim.

As to claim 28, the applied reference fails to teach wherein the correlation processor comprises a converter to apply an inverse of a whitening matrix to the second impairment correlation matrix to generate a final residual correlation matrix, wherein the first correlation estimator applies the final residual correlation matrix to the first impairment correlation matrix to generate an augmented correlation matrix and wherein the correlation processor derives the final impairment correlation matrix from the augmented correlation matrix as cited in the claim.

As to claim 33, the applied reference fails to teach wherein the parametric estimator comprises: a correlation computer for measuring impairment correlations based on the despread values; a structure element computer for determining structured elements of an impairment model based on channel estimates; a parameter estimator for determining model fitting parameters based on the structured elements and the measured impairment correlations; and an impairment correlation calculator for

, application control realist

Art Unit: 2618

calculating the first impairment correlation matrix based on the model fitting parameters and the structured elements as cited in the claim.

As to claim 45, the applied reference fails to teach wherein estimating the second impairment correlation matrix based on the first impairment correlation matrix comprises: generating a whitening matrix based on the first impairment correlation matrix; generating a whitened error vector based on the whitening matrix; and estimating the second impairment correlation matrix based on the whitened error vector as cited in the claim.

## Response to Arguments

3. In response to Applicant's arguments with respect to claims 1-60, the examiner would like to clarify the claim rejection citation of the applied references.

#### Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nhan T. Le whose telephone number is 571-272-7892. The examiner can normally be reached on 08:00-05:00 (Mon-Fri).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban can be reached on 571-272-7899. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Nhan T. Le